

# EUROPEAN PATENT OFFICE

## Patent Abstracts of Japan

PUBLICATION NUMBER : 08227709  
PUBLICATION DATE : 03-09-96


APPLICATION DATE : 21-02-95  
APPLICATION NUMBER : 07032334

APPLICANT : SANYO ELECTRIC CO LTD;

INVENTOR : NISHIGUCHI NOBUHIRO;

INT.CL. : H01M 4/02 H01M 4/50 H01M 10/40

TITLE : NONAQUEOUS ELECTROLYTIC  
SECONDARY BATTERY



ABSTRACT : PURPOSE: To improve continuous charge performance and discharge performance of a nonaqueous electrolytic secondary battery.

CONSTITUTION: A nonaqueous electrolytic secondary battery has a negative electrode using lithium as an active material, a positive electrode using a manganese oxide containing lithium and boron as an active material, and a nonaqueous electrolyte comprising a solvent and a solute. The pore volume of the manganese oxide is specified to be not less than 0.040cc/g.

COPYRIGHT: (C)1996,JPO